nphies

Error Received by HCP

Guideline

V1.0



TABLE OF CONTENTS

Table of Contents	
Introduction	3
Context:	3
Challenge:	3
Summary:	
Case 01: Error from nphies	
Illustration:	
Description:	
Screenshots:	
Case 02: Error from HIC	6
Illustration:	6
Description:	6
Screenshots:	8
Case 03: Adjudication Outcome Rejected	10
Illustration:	10
Description:	10
Screenshots:	11
Cases to be Avoided	13

INTRODUCTION

Context:

The HCP sends a request to HIC who can approve, reject, partially approve, or respond with error.

There is a difference between the Error sent by the HIC and the Error sent by nphies.

Challenge:

HCP are confused between the rejection sent by the HIC, the Error sent by the HIC and the Error sent by nphies.

Summary:

When the HIC receives a request, the possible responses are:

#	Outcome	Adjudication outcome	Nphies error	HIC error	Comments
1	Complete	Approved	NA	NA	Request reached HIC,
					adjudication needed
					from the HIC to
					initiate this response
2	Complete	Rejected	NA	NA	Request reached HIC,
					adjudication needed
					from the HIC to
					initiate this response
3	Complete	Partially approved	NA	NA	Request reached HIC,
					adjudication needed
					from the HIC to
					initiate this response
4	Error	NA	NA	Yes	Request reached HIC,
					no adjudication is
					needed from the HIC

CASE 01: ERROR FROM NPHIES

Illustration:



Description:

HCP submits a request which will be validated by nphies. The case 01 describes the scenario when the request is invalid (Nphies BRVR triggered).

Correct behavior: nphies will send back an error, that should be corrected and sent back by the sender, the Error might be a BV, DT, IC ...etc. please refer to the **nphies-ValidationErrorCode** document.

To Memorize:

- The transaction did not reach the HIC
- The transaction was validated by nphies
- The ERROR was sent by nphies NOT HIC (Check Screenshot)
- The ERROR is from the nphies BRVR

Screenshots:

Screenshot1:

The sender is nphies


```
"resourceType": "Bundle",
"id": "da407af8-d18b-4756-abed-13296839fc82",
"meta": {
    "profile": [
        "http://nphies.sa/fhir/ksa/nphies-fs/StructureDefinition/bundle|1.0.0"
    ]
},
"type": "message",
    "2022
"timestamp": "2022-08-28T10:48:00.943+03:00",
"entry": [
    {
         "fullUrl": "http://nphies.sa/MessageHeader/4e01d5c0-8d33-4a71-a16f-50a18de2c0f7",
         "resource": {
             "resourceType": "MessageHeader",
             "id": "4e01d5c0-8d33-4a71-a16f-50a18de2c0f7",
             "meta": {
             "eventCoding":
             "destination": [
                 "type": "Organization",
                 "identifier": {
    "system": "http://nphies.sa/license/nphies",
                     "value": "NPHIES"
              source": {
             "response": {
"focus": [
         "fullUrl": "http://nphies.sa/ClaimResponse/302",
```

Screenshot 02:

The details of the error sent by nphies (BRVR ID, display and the expression) with outcome=Error

CASE 02: ERROR FROM HIC

Illustration:



Description:

HCP submits a valid request which will pass through nphies to the HIC. The case 02 describes the scenario when the request is technically valid however not valid from business perspective. Such as the patient gender is male with a maternity service requested, where the HIC will return an error via the following fields:

Path	Description	Min	Max	Туре
ClaimResponse.error	Errors encountered during the processing of the adjudication.	0	*	BackboneElement
ClaimResponse.error.extension	Optional Extensions Element	0 *		Extension
ClaimResponse.error.extension.expression	An error code, from a specified code system, which details why the Claim check could not be performed	0	1	string
ClaimResponse.error.itemSequence	The sequence number of the line item submitted which contains the error. This value is omitted when the error occurs outside of the item structure.	0	1	positiveInt
ClaimResponse.error.detailSequence	The sequence number of the detail within the line item submitted which contains the error. This value is omitted when the error occurs outside of the item structure.	0	1	positiveInt
ClaimResponse.error.subDetailSequence	The sequence number of the sub-detail within the detail within the line item submitted which contains the error. This value is omitted when the error occurs outside of the item structure.	0	1	positiveInt
ClaimResponse.error.code An error code, from a specified code system, which details why the claim could not be adjudicated.		1	1	CodeableConcept

Correct behavior: HIC should not adjudicate the request but sends a business response including an ERROR, the HCP from their end should send a new correct request.

The Error sent by the payer will be from the adjudication-error. please refer to the **nphies-CodeableConcept** document.

To Memorize:

- The transaction was validated by nphies
- The transaction reaches the HIC
- The HIC DOESN'T adjudicate the transaction but send an ERROR
- The ERROR is from the adjudication-error
- The ERROR is sent by HIC NOT Nphies (Check Screenshot)

Screenshots:

Screenshot 01:

Error sent by HIC

```
"resourceType": "Bundle",
"id": "64262832-f578-47bb-a3de-36a721952978",
"meta": {
    "profile": [
         "http://nphies.sa/fhir/ksa/nphies-fs/StructureDefinition/bundle|1.0.0"
},
"type": "message",
"timestamp": "2022-08-28T07:57:43.243+00:00",
". r
    {
         "fullUrl": "http://pseudo-payer.com.sa/MessageHeader/6b7753d7-84c7-45bd-b694-6ba230fc4ed3", "resource": {
              "resourceType": "MessageHeader",
              "id": "6b7753d7-84c7-45bd-b694-6ba230fc4ed3",
              "meta": {
              "eventCoding": {
              "destination": [
               "sender": {
                  "type": "Organization",
                  "identifier": {
    "system": "http://nphies.sa/license/payer-license",
    "value": "INS-FHIR"
              "source": {
"response": {
     },
         "fullUrl": "http://pseudo-payer.com.sa/ClaimResponse/2808",
         "resource": {
```

Screenshot 02:

Details of the error sent by HIC (Error ID, display and the expression) with outcome = Error

CASE 03: ADJUDICATION OUTCOME REJECTED

Illustration:



Description:

HCP submits a valid request which will pass through nphies to the HIC. The case 03 describes the scenario when the request is valid from technical & business perspective however the HIC will reject it such us: Patient limit Consumed.

Correct behavior: HIC should adjudicate the request and send a business response including an adjudication outcome=Rejected and outcome=complete.

The Adjudication outcome sent by the payer will be from the adjudication outcome and a denial code should be provided by HIC . please refer to the **nphies-CodeableConcept** document

To Memorize:

- The transaction was validated by nphies
- The Transaction reaches the HIC
- The HIC adjudicates the transaction and send an adjudication outcome (Check Screenshot)
- The adjudication outcome (Rejected) is from the adjudication outcome and denial code should be provided in the adjudication reason (Check Screenshot)

Screenshots:

Screenshot 01:

Response (Rejected) sent by the HIC with outcome: Complete

Screenshot 02:

Adjudication outcome=rejected and the adjudication reason

```
"item": [
        "extension": [
            {
                 "url": "http://nphies.sa/fhir/ksa/nphies-fs/StructureDefinition/extension-adjudication-outcome", "valueCodeableConcept": {
                      "coding": [
                               "system": "http://nphies.sa/terminology/CodeSystem/adjudication-outcome", "code": "rejected"
                 }
        "itemSequence": 1,
        "adjudication": [
                  "category": {
                      "coding": [
                          -{
                               "system": "http://terminology.hl7.org/CodeSystem/adjudication", "code": "benefit"
                      1
                  "amount": {
                      "value": 0,
                      "currency": "SAR"
                  "reason": {
                      "coding": [
                          {
                               "system": "http://nphies.sa/terminology/CodeSystem/adjudication-reason", "code": "N-DC-014",
                               "display": "Service(s) is (are) performed outside authorization validity date"
                      1
        ]
```

CASES TO BE AVOIDED

#	Outcome	Adjudication outcome	Nphies error	HIC error	Comments	
1	Error	NA	Yes	NA	HIC doesn't wait for the response error/acknowledgment from nphies (The HIC should expect the response from nphies and fix it if error).	
2	Error	Rejected	NA	Yes	Error with adjudication outcome	
	Error	NA	NA	Yes	HIC send error then complete response (HCP should send a new request with new identifier after fixing the issue in the initial error)	
3	Complete	NA	NA	NA		